Auto Maintianance equipment Prices
قائمة اسعار اجهزة صيانة السيارات

Model & Type الشكل	*D e s c r i p t i onn* الموصفات	***Price*** *jeddah* السعر
	RSM2200 (10” to 22”) الجنط من ٢٥ الى ٥٥ سم **BASIC** **HYDRAULIC RIM STRAIGHTENING MACHINE** With COMPLETED STANDARD ACCESSORIES. **380/440V - 3ph - 50Hz.** **220/240V – 1ph – 50/60Hz.** HYDRAULIC MOTOR : 0,75 kw,1400rpm, 1Hp.	***p1*** ***25000*** ريال
	RSM2200(10” to 22”) **HYDRAULIC RIM STRAIGHTENING MACHINE** With LATHE SYSTEM & COMPLETED STANDARD ACCESSORIES. **380/440V - 3ph - 50Hz.** **220/240V – 1ph – 50/60Hz.** SHAFT MOTOR : 0,55 kw,1400rpm, 0,75hp, HYDRAULIC MOTOR : 0,75 kw,1400rpm, 1 hp,	***p2*** ***28000*** ريال

www.alkonesuperclean.com sales@alkonesuperclean.com Saudi Arabia Jeddah
تليفون ٩٦٦٥٩١٠٠٨٠٣٢ مدير المعرض ٩٦٦٥٦٥٣٨٤٢٣٤ المعرض ٩٦٦٢٢٠٦٢٦٠٧ فاكس ٩٦٦٢٦٦٨٧٤٢٤

	RSM2400 (10” to 24”) قطر الجنط ٢٥ الى ٦٠ سم **HYDRAULIC RIM STRAIGHTENING MACHINE** With LATHE SYSTEM & COMPLETED STANDARD ACCESSORIES. **380/440V - 3ph - 50Hz.** **220/240V – 1ph – 50/60Hz.** SHAFT MOTOR : 0,55 kw,1400rpm, 0,75hp, HYDRAULIC MOTOR : 0,75 kw,1400rpm, 1 hp,	***p3*** ***30000*** ريال
	*** جهاز اصلاح الجنوط RSM2400-S (10” – 24”) قطر الجنط من ٢٥ الى ٦٠ سم **HYDRAULIC RIM PRESS + LATHE With Surround Supports** **380V/440V– 3ph - 50Hz.** **220/240V – 1ph – 50/60Hz.** SHAFT MOTOR : 0,55 kw,1400rpm, 0,75hp, HYDRAULIC MOTOR : 0,75 kw,1400rpm, 1 hp, Working Pressure : 140 bar Rotation Speed : 250 rpm Sound Level : 60 dBA	***P5*** *33500* ريال

000000000

	جهاز اصلاح الجنوط RSM2600 (10" to 26") قطر الجنط من ٢٥ الى ٦٥ سم **HYDRAULIC RIM STRAIGHTENING MACHINE** With LATHE SYSTEM & COMPLETED STANDARD ACCESSORIES. **380/440V - 3ph - 50Hz.** **220/240V – 1ph – 50/60Hz.** SHAFT MOTOR : 0,55 kw,1400rpm, 0,75hp, HYDRAULIC MOTOR : 0,75 kw,1400rpm, 1 hp,	***p6*** ***34500*** ريال
	جهاز اصلاح الجنوط ***SM2600-S (10" – 26")*** قطر الجنط من ٢٥ الى ٦٠ سم RIM STRAIGHTENING MACHINE With LATHE SYSTEM & COMPLETED STANDARD ACCESSORIES. + Surrounding Upper Supports **380/440V - 3ph - 50Hz.** 110V– 220V – 1ph – 60Hz. Mechanic Motor : 0,55 Kw, 1400rpm, 0,75Hp. Hydraulic Motor:0,75Kw,900rpm,1 hp Working Pressure : 140 bar Rotation Speed : 250 rpm	***p7*** ***38000*** ريال

00000000000

	جهاز اصلاح الجنوط SM1430-S (14" – 30") قطر ٣٥ الى ٧٥ سم **HYDRAULIC RIM PRESS + LATHE** **With** **AC Motor Drive** **&** **Surrounding Upper Supports** **380/440V – 3ph - 50Hz.** **220/240V – 1ph – 50/60Hz.** SHAFT MOTOR : 0,55 kw,1400rpm, 0,75hp, HYDRAULIC MOTOR : 0,75 kw,1400rpm, 1 hp, Working Pressure : 140 bar Rotation Speed : 250 rpm Sound Level : 60 dBA	***P8*** ***40000*** ريال
	STANDARD ACCESSORIES اكسسوارت و عدة اصلاح اساسية	
	1. 18 pcs rim attaching center 2. 1 pc (mihengir) metal pointer 3. 1 pc angular press tip 1 pc flat press tip 1 pc gradated press tip 1 pc fork press tip 1 pc cutting type press tip 1 pc oval press tip 1 pc oval with groove press tip 4. 3 pcs support axis for press tips 5. 1 pc lever 6. 1 pc lathe pen 7. 1 pc upper support 8. 1 pc lower support 9. 4 pc Support pins 10. Flange nuts and bolts	**p 9** **3500** ريال
	OPTIONAL PARTS قطع اختيارية	

00000000000

	جهاز التحكم بالسرعة **DELTA / SIEMENS** AC MOTOR DRIVE SI (Speed Control Unit)	***p10*** ***2500*** ريال
	MMP150 **Magnetic Metal Pointer** **It is used to locate and see the degree of Defected parts of the rim.**	***P11*** ***500*** ريال
	DIAMOND TOOL BIT **Diamond Cutting Tool Bit** is also supplied on demand. It is used when doing diamond cutting on the surface of highly valuable Chrome and Alloy Wheels.	***P12*** ***750*** ريال
	ADDITIONAL قطع اضافية للموديلات المذكورة تحت **SURROUNDING SUPPORTS** **5 PCS** Available only for the models; SM2400 , SM2600 SM2800, SM1430 when requested.	***P13*** ***2800*** ريال

00000000000

	******** جهاز اصلاح الجنوط و تلميعها **SS2600 (10” to 26”)** **RIM STRAIGHTENING** **&** **SHINING SYSTEM** With Lathe, Speed Control Unit & Shining Motor **380/440V - 3ph - 50Hz** **220/240V – 1ph – 50/60Hz.** HAFT MOTOR : 0,55 w,1400rpm, 0,75hp, YDRAULIC MOTOR : 0,75 w,1400rpm, 1 hp, HINING MOTOR : 2,2 kw 3000 rpm, Hp. Control Panel : 24V Rim Turning Speed : 110 rpm Working Pressure : 140 bar	***P14*** ***42000*** ريال

000000000

	جهاز تلميع الجنوط **SPM30 (10" – 30")** قطر الجنط من ٢٥ الى ٧٥ سم **RIM POLISHING** **&** **SHINING MACHINE** With Speed Control Unit & Shining Motor **380/440V - 3ph - 50Hz** **220/240V – 1ph – 50/60Hz.** AFT MOTOR : 0,55 ,1400rpm, 0,75hp, SHINING MOTOR : 2,2 kw 3000 rpm, 3 Hp. Control Panel : 24V Rim Turning Speed : 0-200 rpm Working Pressure : 140 bar	***P15*** ***22000*** ريال
	جهاز وزن الكفرات ***M4500*** *COMPUTERIZED WHEEL BLANCER* ***220V / 1ph / 50Hz.*** *TECHNICAL QUALITIES* Wheel Size..... ...10" – 22" Max. Wheel Weight..... ... 60 kg Balancing Speed ..... 60 rpm Net Weight ..... 95 kg Monitor.....17" LCD Computer ..... Electronic Dynamic balancing with a single turn	***P16*** ***16000*** ريال

00000000000

	جهاز وزن الازرعة ***s L2000*** *MOBILE FINISH BALANCER* ***380-400V / 3phase / 50Hz.*** *With* *TWO TRIPOD*	***P17*** ***12500*** ريال
	رافعة سيارات حتى و زن ٤ طن ***FL5540*** **LOW PROFILE** **DOUBLE CISSORS LIFT** *4000KG* ***380-400V / 3phase / 50Hz.***	***P18*** ***28000*** ريال
	رافعة منخفضة حتى ٣ طن ***PL2000*** *PNEUMATIC PLATFORM LIFT* *3 TON* *With* *LOADING RAMPS* * * * * * * * * * قطعة اضافية لحمل سيارات كبيرة OPTIONAL PART for PL2000 : SUPPORT ARMS for LARGE VEHICLES	***P19*** ***9000*** ريال ***1750*** ريال

0000000000

	ASL2001 *ASYMMETRIC TWO-COLUMN LIFT* *2,5 TON* ***380-400V / 3phase / 50Hz.*** **220/240V – 1ph – 50/60Hz.**	***P20*** ***18500*** ريال
	ASL2002 *ASYMMETRIC TWO-COLUMN LIFT* *3,5 TON* ***380-400V / 3phase / 50Hz.*** **220/240V – 1ph – 50/60Hz.**	***P21*** ***21500*** ريال
	جهاز تغير الكفرات المبنشر نصف اتوماتيك ***LST19*** *SEMI-AUTOMATIC TYRE CHANGER* ***380-400V / 3phase / 50Hz.*** 220/240V – 1ph – 50/60Hz.	***P22*** ***10500*** ريال

0000000000

	جهاز تغير الكفرات المبنشرة اتوماتيك ***ST22*** **FULLY AUTOMATIC TYRE CHANGER** ***10" – 22"*** قطر الجنط من ٢٥ الى ٥٥ سم 380V / 3phase / 50Hz. 220/240V – 1ph – 50/60Hz.	***P23*** ***15000*** ريال
	جهاز تغير الكفرات المبنشرة اتوماتيكي بدون زراع مساعد ***S T24*** **FULLY AUTOMATIC TYRE CHANGER** 380V / 3phase / 50Hz. 220/240V – 1ph – 50/60Hz. without Assist Arms	***P24*** ***19500*** ريال

0000000000

	زراع مساعد لجهاز ***ST24*** EAA24 **ASSIST ARMS** For **ST24** **FULLY AUTOMATIC TYRE CHANGER**	***P25*** ***680,00***
	جهاز تغير كفرات الموترسكلات ***M806*** **MOTORCYCLE** **TYRE CHANGER** ***380V / 3phase / 50Hz.*** ***110/220V – 1ph - 60Hz.*** With plastic covers to protect Alloy rims of motorcycles	***P26*** ***9800*** ريال
	جهاز تغير كفرات الشحنات ***LN 2800S*** 14” - 28” TRUCK TYRE CHANGER ***380-400V / 3phase / 50Hz.*** ***220/240V – 1ph – 50/60Hz.***	***P27*** ***30000*** ريال

0000000000

	LN - 5600S جهاز اصلاح بنشر كفرات الشاحنات ***14" - 56"*** قطر الجنط من ٣٥ الى ١٤٠ سم ***UNIVERSAL TRUCK*** ***&*** ***HEAVY DUTY TYRE CHANGER*** With Extension 42" – 56" ***380V / 1phase / 50Hz.*** ***220/240V – 1ph – 50/60Hz***	***P28*** ***37000*** ريال
	*** كومبورسورات *ONE- STAGE &TWO-STAGE* *TWO-CYLINDER COMPRESSORS* *EMC-350CK, Two-Stage - 350 Liter, 5,5Hp* *EMC-400CK, Two-Stage - 400 Liter, 5,5Hp* *EMC-530TK,One-Stage - 530 Liter, 7,5Hp* *EMC-530CK,Two-Stage - 530 Liter, 5,5Hp*	***P29*** ***11000*** ***12000*** ***14500*** ***17500***

0000000000

	جهاز وزن الازرعة WHEEL ALIGNER SET 8 ccd with Bluetooth Communications Equipped with; - Standard Console - Windows based computer - Printer - 4 pcs of Clamp	***P30*** ***50000*** ريال
	جهاز وزن الازرعة WHEEL ALIGNMENT SET 8 ccd with Bluetooth Communications Equipped with; - Standard Console - Windows based computer - Printer - 4 pcs of Clamp	*P31* ***52000*** ريال

000000000

	S-0011 ***BEAD SEATER*** *TECHNICAL QUALITIES* Max. Pressure.....140 PSI (8 bar) Working Pressure.... 70 PSI (5 bar) Capacity.....25Liter Air Tank Thickness.....2,5mm Net Weight .....7,5kg Packing Size....350 x 350 x 400mm * * * For the orders minimum 20pcs .	*P32* ***1000*** ريال
	TAFAR-13 جهاز ليزر لوزن الاضائة *LASER BEAM* *HEADLIGHT ALIGNER* - GLASS (LENS) - PLASTIC (WHEELS,PLEXIGLASS COVER,HANDLES AND OTHER SMALL DETAILS) - COPPER(WIRING AND LUXOMETER COILS) - STEEL(STRUCTURE AND MECHANICS) UPTO % 80 - DIGITAL MULTIMETER-POSITIONED IN THE OPTICAL BOX	*P33* ***2000*** ريال

جميع الاجهزة صناعة المانية و تجميع تركيا وهي ذات جودة عالية جدا

شركة الكون النموذجية للتجهيزات المحدودة Alkone Co,Ltd

0000000000